ELSEVIER

Carbohydrate Research 279 (1995) C23–C25

CARBOHYDRATE RESEARCH

Contents

Regular papers

Synthesis and conformational analysis of plant hormone (auxin) related compound 2-(indol-3-yl)ethyl β-D-galactopyranoside and its 2,3,4,6-tetra-*O*-acetyl derivative
S. Tomić, B. Kojić-Prodić, V. Magnus, G. Laćan (Zagreb, Croatia), H. Duddeck (Hannover, Germany) and M. Hiegemann (Bochum, Germany) 1

Synthesis and conformational analysis of the Amadori compound *N*-(2,3:4,5-di-*O*-isopropylidene-1-deoxy-β-D-fructopyranos-1-yl)-L-tyrosine benzyl ester
B. Kojić-Prodić, V. Milinković (Zagreb, Croatia), J. Kidrič, P. Pristovšek (Ljubljana, Slovenia), Š. Horvat and A. Jakas (Zagreb, Croatia) 21

Investigation of the conformational properties of a β-(1 → 3) branched β-(1 → 6) heptasaccharide elicitor and its analogues by internal coordinate stochastic dynamics
M.G. Petukhov, A.K. Mazur and L.A. Elyakova (Vladivostok, Russian Federation) 41

Conformational analysis of oligosaccharides corresponding to the cell-wall polysaccharide of the *Streptococcus* group A by Metropolis Monte Carlo simulations
R. Stuike-Prill (Copenhagen, Denmark) and B.M. Pinto (Burnaby, Canada) 59

Structural studies of the teichoic acids from *Bacillus licheniformis*
D. Schipper (Delft, The Netherlands) 75

^{13}C CP MAS and high-resolution ^{1}H, ^{13}C, ^{15}N NMR study of new ureido sugars, derivatives of 2-amino-2-deoxy-β-D-glucopyranose and L-amino acid
I. Wawer, B. Piekarska-Bartoszewicz and A. Temeriusz (Warsaw, Poland) 83

Novel synthesis of phytosphingosine from levoglucosenone
K. Matsumoto, T. Ebata and H. Matsushita (Kanagawa, Japan) 93

Sulfuric acid-catalyzed acetolysis of anomeric ethyl 2,3,4,6-tetra-*O*-acetyl-D-glucopyranosides: kinetics and mechanism
J. Kaczmarek, M. Preyss (Gdansk, Poland), H. Lönnberg (Turku, Finland) and J. Szafranek (Gdansk, Poland) 107

Synthesis of the methyl α-glycoside of a trisaccharide mimicking the terminus of the O antigen of *Vibrio cholerae* O:1, serotype Inaba
P. Lei, Y. Ogawa and P. Kováč (Bethesda, MD, USA) 117

Synthesis of the methyl α-glycosides of some isomalto-oligosaccharides specifically deoxygenated at position C-4
E. Petráková and C.P.J. Glaudemans (Bethesda, MD, USA) 133

A novel method for chemo-enzymatic synthesis of elicitor-active chitosan oligomers and partially *N*-deacetylated chitin oligomers using *N*-acylated chitotrioses as substrates in a lysozyme-catalyzed transglycosylation reaction system
K. Akiyama, K. Kawazu and A. Kobayashi (Okayama, Japan) 151

Synthesis and glycosaminoglycan priming activity of three disaccharides related to the linkage region tetrasaccharide of proteoglycans
A.K. Sarkar and J.D. Esko (Birmingham, AL, USA) 161

The synthesis of derivatives of 2,4-diamino-2,4,6-trideoxy-D-*gulo*- and L-*altro*-hexopyranoses
A. Banaszek, Z. Pakulski and A. Zamojski (Warsaw, Poland) 173

Structure of the O-specific polysaccharide chain of *Shigella boydii* type 5 lipopolysaccharide: a repeated study
V.L. L'vov, A.S. Shashkov, Y.A. Knirel, A.E. Arifulina, S.N. Senchenkova, A.V. Yakovlev and B.A. Dmitriev (Moscow, Russian Federation) 183

Activity of chondroitin ABC lyase and hyaluronidase on free-radical degraded chondroitin sulfate
N. Volpi, I. Sandri and T. Venturelli (Modena, Italy) 193

Short-range structure in (partially) crystalline potato starch determined with attenuated total reflectance Fourier-transform IR spectroscopy
J.J.G. van Soest, H. Tournois, D. de Wit (Wageningen, The Netherlands) and J.F.G. Vliegenthart (Utrecht, The Netherlands) 201

Structures of decasaccharide and tridecasaccharide tetraphosphates isolated by strong alkaline degradation of *O*-deacylated lipopolysaccharide of *Pseudomonas fluorescens* strain ATCC 49271
Y.A. Knirel (Borstel, Germany), H. Grosskurth (Heidelberg, Germany), J.H. Helbig (Dresden, Germany) and U. Zähringer (Borstel, Germany) 215

Lipo-oligosaccharide of *Campylobacter lari* strain PC 637. Structure of the liberated oligosaccharide and an associated extracellular polysaccharide
G.O. Aspinall, M.A. Monteiro, H. Pang, L.A. Kurjanczyk and J.L. Penner (Toronto, Canada) 227

Lipo-oligosaccharide of the *Campylobacter lari* type strain ATCC 35221. Structure of the liberated oligosaccharide and an associated extracellular polysaccharide
G.O. Aspinall, M.A. Monteiro and H. Pang (Toronto, Canada) 245

A xylogalacturonan subunit present in the modified hairy regions of apple pectin
H.A. Schols, E.J. Bakx (Wageningen, The Netherlands), D. Schipper (Delft, The Netherlands) and A.G.J. Voragen (Wageningen, The Netherlands) 265

Substituent effects on the regioselectivity of enzymatic acylation of 6-*O*-alkylglycopyranosides using *Pseudomonas cepacia* lipase
D.A. MacManus and E.N. Vulfson (Reading, UK) 281

Glycosidase-catalysed oligosaccharide synthesis: preparation of *N*-acetylchitooligosaccharides using the β-*N*-acetylhexosaminidase of *Aspergillus oryzae*
S. Singh, J. Packwood, C.J. Samuel, P. Critchley and D.H.G. Crout (Coventry, UK) 293

Notes

Synthesis from lactose of new enantiomerically pure polyhydroxylated pyrrolidines with branched structures
K. Bennis, J. Gelas and C. Thomassigny (Aubière, France) 307

Synthesis of allyl and benzyl β-D-glucopyranosides, and allyl β-D-galactopyranoside from D-glucose or D-galactose and the corresponding alcohol using almond β-D-glucosidase
G. Vic and D.H.G. Crout (Coventry, UK) 315

Enzymatic synthesis of 2-acetamido-4-*O*-(2-acetamido-2-deoxy-β-D-galactopyranosyl)-2-deoxy-D-glucopyranose and 2-acetamido-6-*O*-(2-acetamido-2-deoxy-β-D-galactopyranosyl)-2-deoxy-D-glucopyranose catalysed by the β-*N*-acetylhexosaminidase from *Aspergillus oryzae*
S. Singh, D.H.G. Crout and J. Packwood (Coventry, UK) 321

Structure of the O-specific polysaccharide chain of *Citrobacter freundii* O28,1c lipopolysaccharide
N.A. Kocharova, Y.A. Knirel, E.V. Kholodkova and E.S. Stanislavsky (Moscow, Russian Federation) 327

Site-directed enzymatic α-(1 → 3)-L-fucosylation of the tetrasaccharide Galβ(1 → 4)GlcNAcβ(1 → 3)Galβ(1 → 4)GlcNAc at the distal *N*-acetyllactosamine unit
R. Niemelä, J. Räbinä, A. Leppänen, H. Maaheimo (Helsinki, Finland), C.E. Costello (Boston, MA, USA) and O. Renkonen (Helsinki, Finland) 331

Solution structure of the trisaccharide and hexasaccharide fragments of the O-antigen of the lipopolysaccharide of *Rhizobium tropici* CIAT899
M. Bernabé, J. Jiménez-Barbero (Madrid, Spain), A.M. Gil-Serrano, I. González-Jiménez, P. Tejero-Mateo and M. Megías (Seville, Spain) 339

Preliminary communications

Unexpected transformation of 2,3,4,6-tetra-*O*-acetyl-D-glucopyranosylidene 1,1-diazide with triphenylphosphine
J. Kovács, I. Pintér, M. Kajtár-Peredy (Budapest, Hungary), J.-P. Praly and G. Descotes (Villeurbanne, France) C1

A general method for synthesis of alkyl 2-*N*-substituted and 2-*N*,*N*-disubstituted D-altrosamines
J.M. Vega-Pérez, J.I. Candela, M. Vega, F. Iglesias-Guerra (Seville, Spain) C5

Erratum C9

Book review C11

Announcement C13

Author index C15

Subject index C17

Contents C23